



REV
F HD14-6-96P

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
C	REVISED PER E.O. A5819	04/21/87	J.R.A.
D	REVISED PER E.O. A6839	07/01/87	J.R.A.
E	REVISED & REDRAWN PER E.O. P16261	09/17/99	R.D.R.
F	REVISED PER E.O. P17742	12-27-02	RDR

- 4. FOR "PERFORMANCE AND APPLICATION CHARACTERISTICS OF SOLID/STAMPED AND FORMED CONTACTS AND WIRES," SEE ENVELOPE DRAWING 0425-015-0000. THIS RECEPTACLE USES PIN CONTACTS ONLY.
- 3. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS].
- 2. THIS CONNECTOR SERIES WILL ACCOMMODATE THE FOLLOWING WIRE INSULATION DIAMETERS:

CONTACT SIZE	MINIMUM O.D.	MAXIMUM O.D.
16	.100 [2.54]	.150 [3.81]

1. CONSULT FACTORY FOR ELECTRICAL AND MATERIAL SPECIFICATIONS.
NOTES:

- 7. MATERIAL: SHELL: PLASTIC; SEAL: RUBBER.
- 6. OVERALL DIMENSION DOES NOT INCLUDE RUBBER GROMMET.
- 5. THIS RECEPTACLE MATES WITH HD16-6-96S*-**** PLUG (* = SEAL TYPE, **** = ALL MODIFICATIONS).

SIGNATURE & DATE		RECEPTACLE CONNECTOR INLINE HD10 SERIES ARR. 6-96 COLOR: GREY ENVELOPE	CP		MATL. CODE	
DR	J. HAYNES 08/30/99		The Deutsch Company DEUTSCH I.P.D. 3850 INDUSTRIAL AVE. HEMET, CALIF. 92545		B	HD14-6-96P
CHK	Paul Ble 12/1/02					
PE	Spand 12-9-02					
APPD	R. Reed 12-27-02	DWG SIZE	CODE 11139	SHEET	OF 1	
SCALE	NONE	WT				