

## DETAILS

<b>Product Number</b>	C10427_CUTE-3-M
<b>Family</b>	Cute
<b>Type</b>	Lens array
<b>Color</b>	clear
<b>Diameter</b>	35 mm
<b>Height</b>	15 mm
<b>Style</b>	round
<b>Optic Material</b>	PMMA
<b>Holder Material</b>	
<b>Fastening</b>	pin, glue
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	26/06/2013




## OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
XR-E	17 deg	Medium	-	5.500	-

# Ledil Oy 10427\_Cute-3-M 10427\_Cute-3-M / LDC (Linear)


Luminaire: Ledil Oy 10427\_Cute-3-M 10427\_Cute-3-M  
Lamps: 1 x Cree XR-E 3PCB (white)



# Ledil Oy 10427\_Cute-3-M 10427\_Cute-3-M / LDC (Polar)

Luminaire: Ledil Oy 10427\_Cute-3-M 10427\_Cute-3-M

Lamps: 1 x Cree XR-E 3PCB (white)



cd/klm

— C0 - C180

— C90 - C270

SIMULATED

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**