



# PRODUCT DATASHEET

## Tyra series

last update 25/6/2014

### DETAILS

<b>Product Number</b>	CA11476_TYRA2-M
<b>Family</b>	Tyra
<b>Type</b>	RefAssy
<b>Color</b>	metal
<b>Diameter</b>	40 mm
<b>Height</b>	24,3 mm
<b>Style</b>	round
<b>Optic Material</b>	
<b>Holder Material</b>	
<b>Fastening</b>	pin, tape
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	25/06/2014




### OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
MP-L	32 deg	Medium	90 %	-	-


# Ledil Oy CA11476\_Tyra2-M-tape CA11476\_Tyra2-M-tape / LDC (Linear)

Luminaire: Ledil Oy CA11476\_Tyra2-M-tape CA11476\_Tyra2-M-tape  
Lamps: 1 x Cree MPL (White)



# Ledil Oy CA11476\_Tyra2-M-tape CA11476\_Tyra2-M-tape / LDC (Polar)

Luminaire: Ledil Oy CA11476\_Tyra2-M-tape CA11476\_Tyra2-M-tape  
Lamps: 1 x Cree MPL (White)



cd/klm

SIMULATED

— C0 - C180 — C90 - C270

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**