



**Tripp Lite**  
 1111 West 35th Street  
 Chicago, IL 60609 USA  
 Telephone: +(773) 869 1234  
 E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: N320-15M

### 15M (50-ft.) Duplex MMF 62.5/125 Patch Cable (LC/LC)

#### Highlights



- Manufactured from 62.5/125 duplex (Zipcord) fiber
- Length: 15-Meters Connectors: LC connector on each end
- Insertion loss testing performed on every connector (0.2dB typical)
- Color coded shrouds identify transmit and receive
- Duplex multimode fiber is most commonly used in LAN applications where links are typically 10 feet or less
- Fiber Optic Distributed Data Interface (FDDI) Rated

#### Description

Tripp Lite's 15-meter multimode duplex micron fiber optic LC/LC patch cable is manufactured from 62.5/125 zipcord fiber. The cable has LC connectors on each end, a PVC jacket and is FDDI and OFNR rated. Duplex multimode fiber is most commonly used in LAN applications.

#### System Requirements

- Any Fiber Optic hardware or NIC card requiring Multimode Duplex cable with LC connectors

#### Package Includes



- 15M Duplex MMF Cable LC/LC 62.5/125 Micron Fiber

#### Features

- Manufactured from 62.5/125 duplex (zipcord) fiber
- PVC jacket
- Length: 15-meter. Connectors: LC connector on each end
- Insertion loss testing performed on every connector (0.2db typical) and provided with cable
- Beveled edge on ends of glass makes insertion of plug a breeze
- Fiber made from glass (not a polymer)
- Color coded shrouds identify transmit and receive
- Duplex multimode fiber is most commonly used in LAN applications where links are typically 10 feet or less
- Fiber optic distributed data interface (FDDI) rated
- OFNR (riser rated)

#### Specifications

OVERVIEW	
Fiber Type	62.5/125 - OM1
Intended Application	Computer Networking (Fiber)
Cable Type	MULTIMODE 62.5/125 FIBER OPTIC

Network Speed	1Gbps
<b>INPUT</b>	
Cable Length (m)	15
<b>UPC Codes</b>	
Unit Carton UPC#	037332116895
<b>PHYSICAL</b>	
Color	Orange
Style	Fiber Optic
<b>CONNECTIONS</b>	
Connector A	 LC
Connector B	 LC
<b>CERTIFICATIONS</b>	
Approvals	FDDI and OFNR rated
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	Lifetime limited warranty

## Related Items

### Optional Products

Related Model	Description	Qty.
<a href="#">N302-010</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (ST/ST)	1
<a href="#">N304-010</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (SC/ST)	1
<a href="#">N306-010</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (SC/SC)	1
<a href="#">N308-010</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/ST)	1
<a href="#">N310-010</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/SC)	1
<a href="#">N314-03M</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (MTRJ/LC)	1
<a href="#">N316-03M</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (LC/SC)	1
<a href="#">N318-03M</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (LC/ST)	1
<a href="#">N320-03M</a>	3M (10-ft.) Duplex MMF 62.5/125 Patch Cable (LC/LC)	1
<a href="#">N320-10M</a>	10M (33-ft.) Duplex MMF 62.5/125 Patch Cable (LC/LC)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=2529](http://www.tripplite.com/en/products/model.cfm?txtModelID=2529).

---

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.